



Township No. XIV North, Range No. XII East of 2nd Mer. Surveyed by A. Wallace 1820

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.
17 & 18	Wet & level land, Beech. Ash. Sugar &c.
8.17	Level & rich
7.8	Same
5.8	Good level, Beech. Ash. Walnut
5.6	Level & rich
30.31	Same
19.30	Beech. Sugar. Poplar & Spice
18.19	Level & rich
7.18	Same
6.7	Same

IND
INDIANA
N & E 2 P.M.

Township No. 14 North: Range No. 12 East of 2nd Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
G	Sugar	12	N 53 W	14	
	W. Oak	30	S 26 E	14	
H	Sugar	36	S 10 W	30	
	Beech	20	N 10 E	8	
I	Beech	6	N 20 W	36	
	do	6	South	24	
K	Beech	15	N 64 E	18	
	Sugar	10	S 30 E	17	
L	Hickory	5	Corner		Corners on old Boundary
M	Beech	24	N 42 W	16	
	Elm	24	S 23 E	15	
N	Elm	12	S 27 E	19	
	Sugar	10	N 53 E	17	
S	Beech	12	Corner		
A	Ash	24	N 76 W	20	
	Beech	18	S 66 E	23	
B	Elm	14	N 63 E	7	at post
	Beech	14	S 60 W	49	
T	Beech	12	S 44 W	28	
	Beech	17	S 89 E	34	
t	Sugar	10	S 18 E	32	
	Do	8	N 40 W	30	
U	W Oak	18	S 26 W	40	
	Sugar	12	N 63 E	27	
u	Beech	20	S 52 E	27	
	Ash	30	West	14	
V	Sugar	8	S 7 W	10	
	Beech	18	N 8 E	45	
v	Elm	10	S 20 E	18	
	Hornbeam	7	N 23 E	10	
W	Sugar	12	N 51 W	13	
	Beech	14	S 67 E	17	
w	Beech	14	S 70 E	23	
	Do	14	S 82 W	3	
X	Beech	22	S 23 W	5	
	Do	15	N 54 E	16	
x	Elm	30	S 15 W	24	
	Sugar	12	N 20 E	22	
Y	Hickory	10	S 25 W	41	
	Sugar	11	N 5 E	21	
y	Sugar	9	S 20 W	32	
	Do	9	N 40 E	7	
a	Beech	14	S 65 E	5	
	Do	20	N 15 W	12	

Interior Section Corners described

Corners of Sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
5.6.7.8	W. Ash	24	East	8
	W. Walnut	18	S 65 W	50
7.8.17.18	Hickory	6	N 55 E	18
	B. Walnut	9	S 4 E	10

Interior Quarter Section Corners

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
S to B at 5	Hickory	18	S 85 W	23
	Beech	8	S 4 E	35
6	Sugar	18	N 63 W	37
	Poplar	72	S 45 E	24
H to Y 6	Beech	15	S 80 E	20
	Cherry	10	East	8
I to X 6	Beech	24	N 45 E	20
	Sugar	24	S 5 E	25
M to U 6	Sugar	18	....	20
	Beech	9	....	10
L to V 6	Sugar	-	S 33 W	18
	Beech	—	N 66 E	71
K to W 6	Beech	18	N 20 W	—
	Sugar	18	S .. W	12

Indiana
HQ

NATIONAL ARCHIVES OF THE UNITED STATES
CARTOGRAPHIC RECORDS RG 49



Township No. XIV, North, Range No. XII, East of 2nd Meridian. Surveyed by Emanuel Vantrees, 1811.

Deed

Acres Deed
Trac. 19. 29. 18

Description of the Soil on the interior Sectional lines.

Between Sections	Quality
35 & 36	—
25.36	Level Rich bottom
25.26	—
24.25	Rich bottom. Ash. Sugar &c
23.24	Level – Oak & Beech
13.24	Brushy, poor
34.35	Level Rich – Ash. Beech &c
26.35	Level – Beech. Poplar. Ash
26.27	ditto
25.26	ditto
22.23	ditto
14.23	Level Rich. Beech & Sugar
33.34	Broken Beech Poplar
27.34	ditto
27.28	ditto
22.27	ditto
21.32	
15.22	Broken Beech Poplar
32.33	Broken
28.33	ditto

Between Sections	
28.29	Level Rich
21.28	ditto
20.21	ditto
16.21	ditto
31.32	Broken Beech
29.32	ditto
30.31	ditto
29.30	—
19.30	
20.29	fallen timber
19.20	ditto
18.19	
17.20	Level Rich & broken – Beech Poplar
13.14	Level Rich Beech & Poplar
12.13	Broken in parts – [illegible]
11.12	Level Rich Sugar
1.12	ditto
1.2	ditto
12.13	Level Rich Sugar Ash &c

Between Sections	
11.14	Level Beech. Poplar
10.11	ditto
2.11	ditto
2.3	ditto
15.16	Broken Beech
10.15	ditto
9.10	ditto
3.10	Level Rich. Poplar. Beech &c
3.4	Rich. Beech. Sugar
16.17	Broken. Beech
9.16	ditto
17.18	ditto
8.17	ditto
8.9	
5.8	Level Beech & Poplar
4.9	ditto
4.5	ditto

Township No 14 North, Range No 12 East of 2d Mer:

Posts	Bearing trees	Inches dia.	Courses they bear	Links dist.	Quality of the Land
A	Sugar	12	N 53 W	14	
	W. Oak	30	S 26 E	14	
a					
B	Beech	40	South	15	
	do	8	N 56 W	19	
b					
C	Beech	10	Corner		
c					
D	Beech	12	South	15	
	do	18	N 62 W	20	
d					
E	Beech	12	S 74 E	17	
	do	12	N 25 W	7	
e					
F	Sugar	11	N 53 W	26	F to G. Level & Rich Sugar Elm Ash
	Elm	24	S 15 E	27	
f	do	18	S 81 E	12	
	Sugar	8	N 53 W	12	
G	Buckeye	18	N 9 W	12	G to H part level & part 1st rate bottom Ash Elm
	Ash	18	S 18 E	24	
g	Sugar	12	N 30 W	10	
	do	10	S 33 E	25	
H	Elm	8	S 2 W	3	H to I. Level Rich Sugar Walnut &c
	W. Oak	10	N 28 W	15	
h	do	10	S 40 W	23	
	Ash	16	N 34 W	19	
I	Sugar	10	N 33 E	27	I to K Good; Oak Elm
	Elm	8	S 47 W	21	
i	do	15	S 30 E	24	
	Thorn	4	N 42 W	10	
K	Ash	30	S 40 E	27	K to L Rich. Sugar Elm
	do	10	West	25	
k	Elm	6	S 16 W	11	
	Sugar	12	N 13 E	9	
L	do	16	N 80 E	8	L to M. Level rich Sugar Ash Elm
	Beech	20	S 13 W	22	
l	Sugar	10	S 21 W	18	
	Cherry	5	N 68 E	15	
M	Beech	12	S 3 E	17	M to N 1st rate Sugar Elm Ash &c
	Sugar	14	N 21 E	19	
m	Buckeye	10	N 79 E	10	
	Elm	20	S 71 W	10	
N	Ash	15	S 15 E	10	N to O 1st rate Sugar Ash &c
	Buckeye	11	N 15 W	15	
n	Beech	24	S 23 W	19	
	do	10	N 5 E	26	
O	Beech	10	S 67 E	7	O to P Good; Beech
	do	8	N 85 W	15	
o	Sugar	14	S 2 E	16	
	do	18	N 20 W	37	
P	Beech	10	N 50 E	10	P to Q part hilly part level Rich Beech Sugar &c
	Sugar	24	N 47 W	22	
p	Beech	10	Corner		
	do	12	N 31 E	15	
Q	Cherry	6	N 31 W	14	Q to R Good, Beech &c
	Sugar	10	S 87 E	22	
q	do	28	N 7 E	12	
	Beech	12	S 12 E	33	
R	Sugar	14	S 25 E	5	R to S rich Level Beech Sugar Walnut
	Beech	12	N 12 E	21	
r	do	6	S 70 W	8	
	Sugar	16	N 43 E	19	
S	Elm	12	S 27 E	7	
	Sugar	10	N 35 E	7	
s					
T	Beech	24	N 42 W	20	
	Elm	24	S 25 E	10	
U	Hickory	5	Corner		
V	Beech	15	N 64 E	18	
	Sugar	10	S 10 E	17	
W	Beech	12	Corner		
X	Beech	6	N 20 W	36	
	do	6	South	24	
Y	Sugar	36	S 10 W	30	
	Beech	20	N 10 E	8	

Interior Sectional Corners described

Section Corners	Bearing trees	Inches dia.	Courses they bear	Links dist.
25.26.35.36	Elm	12	S 34 W	8
	Sugar	6	East	8
23.24.25.26	Sycamore	60	South	50
	Beech	3	West	26
13.14.23.24	do	40	N 15 E	20
	Sugar	15	S 57 W	15
26.27.34.35	Beech	4	S 81 W	39
	do	30	N 34 E	25
22.23.26.27	Poplar	60	N 5 E	14
	Beech	4	S 81 W	14
27.28.33.34	Beech	12	S 31 W	[illegible]
	do	14	N 37 E	27
21.22.27.28	Ash	10	S 28 W	15
	Beech	12	S 81 E	22
15.16.21.22	Beech	4	West	22
	do	10	S 20 E	23
28.29.32.33	Beech	6	S 75 W	15
	do	15	N 54 E	15
20.21.28.29	Beech	18	S 58 W	20
	Sugar	6	N 55 E	23
16.17.20.21	Beech	30	West	16
	do	10	S 11 E	18
29.30.31.32	Beech	15	S 15 E	25
	do	9	S 20 E	35
19.20.29.30	Beech	17	N 55 W	24
	do	6	S 25 W	17
17.18.19.20	Elm	12	Corner	
11.12.13.14	Beech	10	N 49 E	7
	do	18	S 20 E	20
1.2.11.12	Beech	40	North	30
	Hickory	15	South	7
10.11.14.15	Beech	10	S 52 W	10
	do	12	N 74 E	15
2.3.10.11	Beech	10	N 7 E	17
	Poplar	60	S 53 W	25
9.10.15.16	Beech	10	S 26 W	30
	do	4	West	15
3.4.9.10	Sugar	24	S 31 E	26
	do	6	N 31 W	12
8.9.16.17	Sugar	15	N 19 W	12
	do	13	S 29 E	33
4.5.8.9	Sugar	12	S 3 W	18
	do	6	N 4 E	15
14.15.22.23	Poplar	35	N 75 E	19
	Beech	5	S 51 W	14

Quarter Section Corners described

From & to	Bearing trees	Inches dia.	Courses they bear	Links dist.
L to T at 1.	Sycamore	15	Corner	"
2.	Beech	15	S 21 E	11
	do	17	N 27 W	26
3.	Beech	7	S 35 W	9
	do	7	N 83 E	20
4.	Beech	15	N 20 W	23
	Sugar	6	S 24 E	12
5.	Beech	12	S 73 W	16
	do	10	S 83 E	16
K to U at 1.	Sugar	10	N 47 E	8
	Hickory	24	S 63 E	9
2.	Beech	15	Corner	"
3.	Sugar	24	N 24 W	9
	Beech	5	S 21 E	5
4.	Beech	15	S 17 W	21
	do	10	N 45 E	21
5.	Beech	10	N 85 E	9
	do	10	S 85 W	25
I to V at 1.	Beech	10	N 13½ W	12
	Ironwood	6	S 13½ E	7
2.	Elm	10	Corner	"
	in edge	of	Pond	"
3.	Beech	10	N 39 E	18
	do	6	N 78 W	23
4.	Beech	18	S 52 E	17
	do	30	N 20 E	19
5.	Beech	15	S 9 W	14
	W. Beech	6	N 7 E	26

Continued

From & to	Bearing trees	Inches dia.	Courses they bear	Links dist.
H to X at 1.	Beech	36	East	27
	Buckeye	8	N 19 E	11
2.	Beech	10	N 68 E	13
	do	24	N 88 W	25
3.	Beech	12	N 77 E	24
	do	19	N 25 W	14
4.	Beech	4	South	3
	do	4	S 36 W	26
5.	Beech	10	Corner	
G to Y at 1.	Beech	8	S 30 W	21
	do	38	S 43 E	25
2.	Beech	12	N 85 W	31
	do	6	S 30 E	12
3.	Beech	8	S 85 E	20
	do	8	N 57 W	10
4.	Beech	12	N 81 W	17
	do	30	S 33 E	16
5.	Elm	24	West	37
	Beech	6	South	7
N to E at 1.	Plumb	4	South	4
	Buckeye	15	North	4
2.	Beech	10	S 16 E	13
	Hickory	18	N 16 W	7
3.	Poplar	30	N 14 W	27
	Beech	26	S 14 E	27
4.	Beech	20	N 8 E	35
	do	10	S 8 W	5
5.	Beech	24	S 74 W	25
	Dogwood	4	N 7 E	17
6.	Blue Ash	18	N 33 E	27
	Beech	24	S 55 W	40
O to D at 1.	Beech	9	S 13 E	8
	do	30	N 76 E	20
2.	Beech	12	South	3
	do	6	West	24
3	Gum	24	S 60 E	10
	Beech	15	S 51 W	13
4.	Honey Locust	26	N 71 E	29
	Buckeye	18	S 71 W	13
5.	Beech	8	N 20 W	21
	do	10	S 20 E	8
6.	Beech	24	West	22
	do	22	North	69
P to C at 1.	W. Oak	8	S 38 E	10
	Sugar	12	S 58 W	20
2.	Cherry	6	Corner	
3.	Walnut	48	S 58 W	35
	Blackberry	12	N 75 E	24
4.	Beech	6	West	6
	Ironwood	9	East	19
5.	Beech	12	S 9 E	13
	do	8	N 9 W	12
6.	Beech	15	S 4 E	29
	Elm	12	N 28 W	31
O to B at 1.	Sugar	15	N 59 E	14
	Beech	8	S 59 W	18
2.	Beech	24	N 56 W	38
	do	12	S 56 E	21
3.	Sugar	15	West	6
	Beech	10	N 14 W	20
4.	Beech	18	Corner	"
5.	Sugar	24	S 34 E	42
	do	15	N 34 W	10
6.	Beech	30	N 35 W	23
	do	30	East	25
R to W at 1.	Beech	7	N 12 W	14
	do	24	S 53 E	15
2.	Beech	8	N 85 E	10
	do	8	S 85 W	17
3.	Beech	16	North	27
	do	26	S 43 E	13

Indiana
HP

IND

Township No. XIV North, Range No. XII East 2d Mer.



Interior Section Corners					Interior Quarter Section Corners					Description of Soil on interior Sectional lines	
Corners of Sections	Bearing trees	Inches diam	Course therefrom	Links dist	From the	Bearing trees	Inches diam	Course therefrom	Links dist	Between Sections	Quality &c.
5.6.7.8	W. Ash	21	East	8	5&B 5	Beech	15	S 85 W	23	17.18	Wet & level. Beech. Ash Sugar
	W. Walnut	15	S 65 W	50		Beech	3	S 4 E	35	8.17	Level & rich
7.8.17.18	Hickory	6	N 53 E	15	6	Sugar	15	N 63 W	37	7.8	Same
	B. Walnut	9	S 4 E	10		Poplar	72	S 45 E	24	5.8	Good level. Beech Ash Walnut
					11&Y 6	Beech	15	S 80 E	20	5.6	Level & rich
						Elm	10	East	8	30.31	Same
					11&X 6	Beech	24	S 45 W	20	19.30	Beech, Sugar Poplar & Spice
						Sugar	21	S 5 E	25	18.19	Level & rich
										7.18	Same
										6.7	Same

Corners on Old Boundary

G	Sugar	12	N 53 W	14
	W. Oak	30	S 26 E	14
H	Sugar	36	S 10 W	30
	Beech	20	N 10 E	8
I	Beech	6	N 20 W	36
	do	6	South	24
K	Beech	15	N 68 E	18
	Sugar	10	S 30 E	17
L	Hickory	5	corner	
	..	..	..	..
M	Beech	24	N 42 W	16
	Elm	24	S 23 E	15
N	Elm	12	S 27 E	19
	Sugar	11	N 53 E	17
S	Beech	12	corner	
	..	..	..	..

INDIANA.
N & E 2 P.M.

Total quantity Acres Dec

3577.37



A true copy from the original on file in this Office

Surveyor Generals Office
February 26th 1826

Edward Tiffin Sur. Genl.

3

Pol 15

Township N°. XIV North, Range N°. XII East 2. Mer.



Interior section corners.

Corners of Sections	Bearing trees	Inches diam	Courses they bear	Links dist
5.6.7.8	W. Ash	24	East	8
	W. Walnut	18	S 65 W	50
7.8.17.18	Hickory	6	N 55 E	18
	B. Walnut	9	S 4 E	10

Corners on Old Boundary

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.
G	Sugar	12	N 53 W	14
	W. Oak	30	S 26 E	14
H	Sugar	36	S 10 W	30
	Beech	20	N 10 E	8
I	Beech	6	N 20 W	36
	do	6	South	24
K	Beech	15	N 64 E	18
	Sugar	10	S 30 E	18
L	Hickory	5	Corner	
	~	~	~	~
M	Beech	24	N 42 W	16
	Elm	24	S 23 E	15
N	Elm	12	S 27 E	19
	Sugar	10	N 50 E	17
S	Beech	12	Corner	
	~	~	~	~

Interior Quarter Section Corners

From & to	Bearing trees	Inches diam	Courses they bear	Links dist
S to B 5	Hickory	18	S 85 W	23
	Beech	8	S 4 E	35
6	Sugar	18	N 63 W	37
	Poplar	72	S 45 E	24
H to Y 6	Beech	18	S 80 E	20
	Cherry	10	East	8
I to X 6	Beech	24	N 45 W	20
	Sugar	24	S 5 E	25
M to U 6	Sugar	18	—	20
	Beech	9	—	10
L to V 6	Sugar	–	S 33 W	18
	Beech	–	N 66 E	71
K to W	Beech	18	N 20 W	–
	Sugar	18	S W	12

Description of Soil on interior section lines

Between Sections	Quality &c.
17.18	Wet & level. Beech, Ash. Sugar
8.17	Level & rich
7.8	same
5.8	Good level. Beech. Ash. Walnut
5.6	Level & rich
30.31	Same
19.30	Beech. Sugar. Poplar & spice
18.19	Level & rich
7.18	Same
6.7	Same



(Offered at public Sale, Oct. 1820)

A true copy from the original on file in this Office

Surveyor Generals Office
February 24th 1826

Edward Tiffin Surv.r Genl